This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

THIS PAGE BLANK (USPTO)

PHILIPPINE PATENT [19]

[11] No.: 26196

[45] Issued: ZBBL 8 T NAM

[54] Title: DETERGENT COMPOSITION

[75] Inventor(s): PHILIP RICHARD NORMAN EYMOND and THOMAS McGEE, both of wirral, Merseyside, England

[73] Assignee (s): UNILEVER NV, of Rotterdam, Netherlands, a company of the Netherlands

[22] Filed: June 23, 1989

[21] Application Serial No: 38839 ...

FOREIGN APPLICATION PRIORITY DATA

[31] Number (*) : 8815352.3 <

[32] Date (s) : June 28, 1988

[38] Country (ies) : United Kingdom -

252/89.1; 252/174.13; 252/135

[56] Reference (s) Cited and/or Considered:
Chemical Abstract 1981 Vol. 194 32630n
United Kingdom Pat. No. 1,572,815 3/1980

 $\underline{A} \underline{B} \underline{S} \underline{T} \underline{R} \underline{A} \underline{C} \underline{T}$

A detergent composition in semi-solid form containing at least a non-soap detergent active, a detergency build r and a fabric softening clay. Higher levels of fabric softening clay can be incorporated in semi-solid product forms than in solid bar forms.

4	Claims, Specif	fication: 9.	., page (s);.	Drawings:	None	sheet (s)
	F. M.	Evasco				
xaminer:			• • • • • • • • • • • • • • • • • • • •		•••••••	

DETERGENT COMPOSITIONS

ARSTRACT

A detergent composition in semi-solid form containing at least a non-scap detergent active, a detergency builder and a fabric softening clay. Higher levels of fabric softening clay can be incorporated in semi-solid product forms than in solid bar forms.

This invention relates to detergent compositions which are in a semi-solid form, that is the say a gel, cream or paste. Such a detergent form is already marketed in some countries. It is sufficiently solid that it cannot be poured, and it coheres together in a mass which can however be deformed by hand. Such a form is thus distinct from mobile liquids, powders and bars.

Semi-solid detergent compositions may be used for washing fabrics, and will then generally contain detergent active and detergent builder materials together with optional components, for example abrasives, fillers, perfumes and alkaline salts, such as silicates.

for use in washing fabrics, a semi-solid composition may be rubbed directly onto the fabric.

The use of clay in detergent compositions as a fabric softening agent is known, e.g. from UK 1,400,898. The use of softening clay in non-scap detergent laundry bars is disclosed in UK 2160886 (Firmenich).

Improve tical to include clay as more than about 5% by weight of the opmposition.

10

15

70

25

We have now found that softening clays can be successfully incomparated an assausoist built determent compositions.

According to the present invention there is provided a detergent composition of semi-solid form containing at least:

non-soap determent active, preferably in an amount which is 10 to 45% by weight of the composition.

detergency builder, preferably in an amount which is 5 to 60% by weight of the composition,

softening clay, preferably in an amount which is 5 to 40% by weight of the composition.

The clay may be an expandable smectite-type clay. Smectite clays are set out in UK 1,400,898 where they are specified as expandable, three-layer smectite-type clays having an ion exchange capacity of 50 meg/100 gram. They are expandable by swelling on contact with water. Swamples of such clays are montmorillonite, volchonskaite, nontronite, hectorite, saponite and sauconite.

The amount of diay may well exceed 10% of even 15% by weight of the composition, e.g. an amount which is 10-25% by weight of the

2.75

ರಣಗಾಣಕಾತಿ ಅತಿವರಣ ಕ

5

1Ů

15

the stability of a semi-solud composition can be enhanced by adding a structuring agent, and it may be preferred to include a structuring agent as from 0.5 to 15% by weight of compositions according to this invention.

Conventional structuring agents are coconut ethanolamide (CEA), gelatin, starch, aluminosilicate and sodium carboxy methyl cellulose which also functions as an antiredeposition agent. These structuring agents may be used in combination with of electrolytes.

Detergent actives and builder components are well characterised in detergent bar technology. The components are described in "Surface Active Agents" by Schwartz and Perry (Interscience 1947) and Volume II by Schwartz, Perry and Berch (Interscience 1958). The detergent actives usable in the present invention may be found in the general classes of anionic, nonionic, amphateric, betwine and switterionic actives. Specific examples of detergent actives are linear alkyl measure sulphonates, alkane sulphonates, secondary alcohol sulphates, branched alkyl benzene sulphonates, alkyl sulphates, alkyl ether

sulphates, olefin sulphonates, monocarboxylic acid salts, ethoxylated alcohols and fatty acid ester sulphonates. Linear or branched alkyl benzene sulphonates having 8 to 16 carbon atoms in alkyl chain may in particular be used, possibly in admixture with other detergent active(s).

Examples of builder components are: water soluble phosphate salts, e.g. sodium tripolyphosphate, pyrophosphate and orthophosphate; water soluble carbonates, e.g. sodium carbonate; organic builders which may be polycarboxylate sequestrant builders, e.g. sodium nitrilotriacetate, sodium tartrate, trisodium carboxymethyl oxysuccinate, sodium oxydisuccinate and sodium sulphonated long-chaimmanocarboxylic acids.

Other ingredients, for example silicates e.g. sodium alkaline silicate, starch, sodium carboxymethyl cellulose or other antiredeposition agent, polycarboxylate such as polyacrylate or acrylic/maleic copolymer, colouring materials, enzymes, fluorescers, opacifiers, germicides, perfumes, bleaching agents and fillers, for example codium sulphate, tale, and calcité are uptionally present.

25 Alkanolamines may be included, as described

5

10

15

20

un our UK published application 21944529. Production

A semi-solid detergent composition can be produced by adding the constituents to the water which will be present in the eventual composition, and mixing.

A suitable procedure is to heat all the water, and dissolve in it the builder, any other solid electrolyte and sodium carboxymethyl cellulose (if used) while mixing under conditions of high shear. When these components have dissolved, alkaline silicate (if any) is added, followed by detergent active, alkanolamine (if any) and clay. If a structurant such as coconut ethanolamide is used, it is preferably added after the detergent active and alkanolamine.

Examples

5

10

15

In the Examples which follow, all percentages are by weight of the composition.

20 Detergent creams were prepared by the production route given above. Their formulations are set out in the following table:-

	and the Steel	. S .	£2.		<u>"Ly</u>	∀				
	<u>业为法理企业</u>	. 1.								
	<u>Compression</u>									
	\mathcal{C}_{12} , \mathcal{C}_{16} or anched ABS	15 0	30.0							
	C _{LZ} branched ABS	٠		27.0						
ು	C ₁₂ linear ABS				28.0	26.0				
	Sodium tripoly-		•							
	phosphate	25.0	15.0	15.0	15.0	9.0				
	Alkaline silicate	1.5	1.5			2.0				
	Neutral silicate			2.0	2.0					
LÚ	Cocoqut ethanolamida			4.0						
	Sodium carbonate				10.0	10.0				
	Sodium sulphate	3.5	3.5							
	Sedium carboxymethyl									
	೧೬1141050	0.1		1.5	1.0	1.0				
1.5	Smeatite clay	10.0	20.0	15.0	20.0	15.0				
•	Stanch				2.0					
	fluormascer, perfume		be	low 0.5%						
		r grade er i Bank ang kag Tanàn an am	bala	nce to 1	00 %	ارده دوی در باید شده سال در دو در باید	هريجه والم			
	$ ho_{12}^{-}$ branched A8S was alkyl benzene sulphonate with									
20	and a second altert penting.									
	buscubed alkyl groups,									
C ₁₇ langur ABG was alkyl benzene sulphonate with										

25 principally $C_{1,2}$ linear alkyl groups.

BNSDOCID: <PH____26196A1_l_>

The clay was Volclay SPV 200NF from American Colloid Co. Skokie, Illinois.

Each of the creams had the appearance of a stiff paste, and had an acceptable non-gritty feel.

A trial of one cream (Example IV) was carried out as follows:-

Terry towel cotton squares were repeatedly machine washed without any softening agent, to give them a harsh feel. Half of the squares were then washed by hand, directly applying the cream to them. The remaining squares were washed with a control cream in which the clay was replaced with inert filler (sodium sulphate). The washed squares then assessed for softness of tactile feel by a group of panellists. 90% of the panellists unequivocally chose the squares washed with the clay-containing cream as softer fabric than those washed with the control-cream:

5

(Ling)

tó.

 A detengent composition of sect-sold form comparisting:

so to 45% by weight of normscap detergent active;

I to 60% by weight of detergency builder,

5 to 40% by weight of softening clay.

- 2. A detergent composition as claimed in claim 1 wherein the compusition comprises 10 to 25% by weight of the clay.
- 3. A detergent composition as claimed in claim 1 wherein the composition comprises from 0.5 to 15% by weight of a structuring agent.
- 4. A determent composition as claimed in to claim 2 wherein the composition comprises from 0.5 to 10% by weight of a structuring agent.

PHILIP HICHARD NORMAN EYMOND THOMAS MOSES